

16-port PoE Switch NVS-3116SP



KEY FEATURES

- 16 x 100Mbps PoE+
- 2 x 1000Mb/s UPLINK, 1 x 1000Mb/s SFP UPLINK

DIMENSIONS



GENERAL

Device Type PoE+ Switch

NETWORK

| | |
|---------------------|---|
| Ports | PoE+ Ports: 16 x 10/100Mbps (the number of ports simultaneously operating with PoE + mode is limited by PoE budget) • UPLINK SFP port 1Gb/s x1 • Uplink Combo x 1 :SFP (1Gbps) + RJ45 (1Gbps) |
| PoE standards | IEEE802.3af, Class 3, IEEE802.3at, Class 4 |
| PoE mode | Endspan (1,2+ / 3,6-) |
| Switching capacity | 7.2 Gb/s |
| Supported protocols | IEEE 802.3 10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3ab 1000BASE-T, IEEE 802.3z 1000BASE-SX/LX |
| MAC address list | 4K |

INSTALLATION PARAMETERS

| | |
|-----------------------|--|
| RACK Mount 19" | 1U |
| Case | Metal, navy blue color |
| Dimensions (mm) | 280 (W) x 44 (H) x 180 (L) |
| Weight | 1.9 kg |
| Input Voltage | 100 ~ 240 VAC, 50/60Hz |
| Power Consumption | 190 W |
| PoE Budget | 190 W for ports 1 to 16, up to 30 W for one port |
| Operating Temperature | 0°C ~ 40°C |